


VERTICAL MARKET FOCUS

WATER / WASTEWATER



Appleton	2
Sola HD	7
Swivelpole	9
Littelfuse	9
Stahlin	12
Rittal	13
CT Innovations	13
Patriot Industries	14
Atcore Unistrut	14
Panduit	15
Nelson	18
SLG	19
Contact Information	20

SMR GULF COAST

Specified Manufacturers Representative



Hazardous Area Panelboards

PlexPower RQ/RF:

Stainless Steel

Class 1 Division 2 BCD NEMA 4X

Modular design

Utilizes off the shelf circuit breakers

No external conduit/cable seals required

Factory options available

Cast ALPN/APPN:

Cast Aluminum

Class 1 Division 1&2 BCD NEMA 4X

Factory options available



Hazardous Area Cast Junction Boxes and Control Centers

AJBEW:

Cast Aluminum Junction box

Class 1 Division 1&2 BCD

NEMA 4 (4X available)

Factory options available

ACSEW:

Cast Aluminum Control Center

Class 1 Division 1&2 BCD

NEMA 4 (4X available)

Operators in cover available

Factory options available



Hazardous Area Contactors and Motor Starters

Cast AEB Series:

Class 1 Division 1&2 BCD NEMA 4X

Factory options available

PlexPower Series:

Class 1 Division 2 BCD NEMA 4X

No external conduit/cable seals required

Factory options available

EDS Manual Series:

Class 1 Division 1&2 CD NEMA 3R



Hazardous Area Circuit Breakers and Disconnects

Cast AE Circuit Breaker Series:

Cast Aluminum

Class 1 Division 2 BCD NEMA 4X

15-1200 Amps

Factory options available

PlexPower Circuit Breaker:

Stainless Steel

Class 1 Division 2 BCD NEMA 4X

15-150 Amps

No external conduit/cable seals required

Factory options available

Cast AE Disconnect Series:

Cast Aluminum

Class 1 Division 2 BCD NEMA 4X

Factory options available

Cast AE Molded Case Switches:

Cast Aluminum

Class 1 Division 2 BCD NEMA 4X

Factory options available

PlexPower Disconnect:

Class 1 Division 2 BCD NEMA 4X

No external conduit/cable seals required

Factory options available



Quick Release Program

Quick turnaround of limited sizes and configurations of enclosures, panels, and controls manufactured in Houston.

Please contact SMR Gulf Coast for more information: sales@smrgulfcoast.com

Hazardous Area Control Stations

Push buttons, selector switches, and pilot lights with various options and configurations

EFDB series:

C1D1 BCD NEMA 3

Utilizes Appleton EFD back box

4/4X Contender series:

NEMA 4X w/ aluminum back box

C1D2 BCD

Utilizes EDS back box

Can mount to competitor's box

Contender series:

C1D1 CD NEMA 3

Utilizes EDS back box

Can mount to competitor's box



Hazardous Area Tumbler Switches

EDS Series Tumbler Switch:

C1D1 BCD NEMA 3

Utilizes Appleton EFD back box

4/4X Contender Series:

NEMA 4X w/ aluminum back box

C1D2 BCD

Utilizes EDS back box

Can mount to competitor's box

Contender Series:

C1D1 CD NEMA 3

Utilizes EDS back box

Can mount to competitor's box



Conduit Fittings

FM9 - C1D2 NEMA 3R

ER Outlet Boxes - C1D1 CD

GR Boxes - C1D1 BCD NEMA 4X*


GRTS Box - C1D1 BCD NEMA 4X*

Elbows - C1D1 ABCD

Seals - C1D1 ABCD

4QSS - C1D2

* Aluminum only



Cable Glands

TC Connectors - C1D2 ABCD NEMA 4X

T3 Series - C1D2 ABCD 4X

PXSS2K-REX - C1D1 CD NEMA 4X

and more!



Plugs and Receptacles

U-Line:

Class 1 Division 1&2 BCD

20A 125V or 250V

NEMA 4X*

Powertite:

30, 60, 100, 150, 200, 400 Amp

Multiple wire and pole configurations

Unclassified locations NEMA 4X*

EBR Series:

Interlocked disconnect switch

Class 1 Division 1&2 BCD NEMA 4X*

*See cut sheet for NEMA 4X conditions



Hazardous and Industrial Lighting:

Explosionproof Lighting:

CodeMaster LED:

Task/Area lighting
C1D1 BCD NEMA 4X

CodeMaster JR LED:

Task/Area lighting
C1D1 BCD NEMA 4X

EHLED Hand Lamp:

Explosionproof mobile lighting
C1D1 CD



Task/Area Lighting:

Mercmaster Connect LED*:

Class 1 Division 2 BCD NEMA 4X
Connected Lighting

Up to 17,500 Lumens

Fully dimmable

Reduces energy consumption

IIoT Solution

Strengthens existing networks

Mercmaster Low Profile LED*:

Task/Area lighting

3-7k Lumen only

Emergency available

C1D2 ABCD NEMA 4X

Mercmaster Gen 3 LED*:

Task/Area lighting

Emergency available (3-5k only)

C1D2 ABCD NEMA 4X

Contender LED*:

For retrofit with existing competitors top hats.

C1D2 ABCD NEMA 4X



*Available in an industrial style. Add "I" to the beginning of the part number.

High Bay Lighting:

Baymaster LED*:

C1D2 ABCD NEMA 4X

*Available in an industrial style. Add "I" to the beginning of the part number.



Flood Lighting:

Areamaster LED*:

C1D2ABCD NEMA 4X

*Available in an industrial style. Add "I" to the beginning of the part number.



Linear Lighting:

Rigmaster LED*:

C1D2 ABCD NEMA 4X

Emergency battery available

Explosionproof Rigmaster LED:

C1D1 CD NEMA 4X

Emergency battery available

*Available in an industrial style. Add "I" to the beginning of the part number.



Jelly-Jar/Retrofit Lighting:

Retromaster LED:


Ratings vary by top hat



Lighting Layout

Appleton can provide lighting layout services for better design and specification of lighting systems.

Please contact SMR Gulf Coast for more information.





Low Voltage Transformers

K-Factor

Capable of carrying harmonic currents of non-linear loads

Handle DC flux caused by triplen harmonics

Floor Mount Automation Transformers

15 kVA to 150kVA

Encapsulated • Class 1 Division 2

Standard NEMA 4/12

NEMA 4X Available (Stainless Steel)

Wall Mount Automation Transformers

50 VA to 45 kVA

Encapsulated • Class 1 Division 2 ABCD

Standard NEMA 3R

NEMA 4X Available

HZ Series

Available in 3R, 4, 4X

Encapsulated

Drive Isolation

7.5 kVA to 440 kVA

NEMA 3R with weather shield

Isolation minimizes load disturbances caused by the SCR drive

Custom transformers available



Power Conditioners

CVS Hardwired Series

Regulate to $\pm 1\%$

Acts as step up/down transformer

25 years mean time before failure

MCR Hardwired Series

Regulate to $\pm 3\%$

Acts as step up/down transformer

25 years mean time before failure

Solatron Plus Series

Three Phase

Response time 1.5 cycles

Regulate to $\pm 3\%$

30 kVA - 200 kVA



Surge Protection Devices and Tracking Filters

STC-SLAC Series

Designed for Water/Wastewater
15 A 120 Vac NEMA 4X

STC-SS Series

Designed for Water/Wastewater
150 mA 28 Vdc

STV25K DIN Rail Series

SPD50K Series

Bracket or DIN mount

SPD200/300K Series

STFE Elite Series

STFV Plus Series



Uninterruptible Power Supplies

SDU AC - B Series

500 VA to 850 VA

S4K2U-C Series On-Line UPS

S4K4/6U-C Series On-Line UPS

6 kVA to 10 kVA

SLN, SPS, and SSW Mini-Tower UPS

SLN and SPS - Off-Line UPS

SLN - 600 VA

SPS - 850 VA

SSW - Line-Interactive UPS

700 VA to 1440 VA

SDU DC - B Series

240VA to 480VA (10A & 20A models)

24VDC



Power Supplies

SDN-D Series

Class 1 Division 2 ABCD

High performance in a small package

SCM Communication Module to make it IIoT

SDN-C Series

Wide range of options

Class 1 Division 2



Swivelpole™

Maxis Joint

Allows for pole mounted items, including lighting, surveillance equipment, networking equipment, and more to be easily and safely lowered and raised for maintenance. Conversion tool available for existing poles.



Expertise Applied | Answers Delivered

Motor and Pump Protection

MP8000 - Bluetooth Overload Relay

201A-AU - 3 phase voltage monitor

460 - 3 phase voltage monitor

777-KW/HP-P2 - 3 phase voltage and current monitor



Arc Flash Relays

PGR-8800

AF0500

AF0100

AF0025 - OEM Focused

Various Point and Fiber Optic Sensors



Industrial GFCI

SB6000 series

SB5000 series

Accessories available

Available in enclosed and open chassis models



Seal-Leak Detectors

Detect leaks in submersible pumps

201-100-SLD - Seal Leak Detector

PC-102CICI-DL - Dual Channel Seal Leak Detector



Alternating Relays

ALT115-S-SW - Duplex alternating relay for pumps with one float input

ALT115-X-SW - Cross-connected alternating relay for pumps with two float inputs

PC-105 - 5 channel pump controller and relay switch



Intrinsically Safe Relays

Relays usable in Class 1 Division 1 and 2 Group ABCD areas

ISS-105-ISOv - 5 channel intrinsically safe relay switch

ISS-105 - 5 channel intrinsically safe pump controller and relay switch



Time Delay Relays

KRDM421 - Delay on make timer

KRDB421 - Delay on break timer



Surge Protective Devices

SPD2 series - DIN Rail Mountable

SPDN series - External Panel Mount



Neutral Grounding Resistors

SE-325

SE-330

NGR Series

NGRM-ENC Series



Flashers

FS126

FS126RC



UL Class Fuses, Fuseholders, Fuse Blocks, and Fuse Accessories



Power Distribution Blocks





PolyStar Series

Polycarbonate enclosures that are strong, easy to modify, and UV resistant of varying sizes.

Temperature range: -40°F to +248°F

Various accessories available

NEMA 4X

ABS, AL, CS, FG back pans available



PolySlim Series

Lower profile enclosures for space saving where standard, deeper enclosures are not necessary.


Especially useful for communications

Temperature range: -40°F to +248°F

Various accessories available

NEMA 4X

ABS, AL, CS, FG back pans available



J Series Enclosures

Fiberglass enclosures that are strong, durable, and UV resistant of varying sizes.

Temperature range: -76°F to +274°F

UL 746C f1 rated.

Various accessories available.

ABS, AL, CS, FG back pans available





Houston Area Only

WM Wall-Mounted Enclosures



Stainless Steel wall mounted enclosures
NEMA 4X



CT INNOVATIONS


TOUGHTray

Available in Aluminum
Various accessories to support



TOUGHMesh

Wire Basket
Available in 316 Stainless Steel,
Electroplated Zinc Galvanized,
Painted, and TOUGHGalv.





Aluminum Conduit and Conduit Fittings



Stainless Steel Conduit and Conduit Fittings



Atkore™
Unistrut

Unistrut Channel and accessories

Unistrut boasts the industry’s broadest portfolio of strut and strut accessories, including a variety materials: Fiberglass, various finishes of Steel, Aluminum, and Stainless Steel.

Made in the USA - BUY AMERICA



PANDUIT™

Stainless Steel Ties

Available in 304 and 316
Available with polyester or nylon 11 coating
Variety of tensile strengths
Mounts also available



Specialty Cable Ties

Available in a variety of materials and sizes to fit a variety of chemical resistance, weather resistance, flame resistance, and strength requirements.



MP300 Mobile Printer

Handheld printer that can print self-laminating labels, continuous labels, heat shrink labels and more with a variety of symbols.
Labels are chemical resistant.



TDP43ME Desktop Printer

Printer that connects to your computer for an even more customizable printing solution.
Labels are chemical resistant.



Nylon Marker Plates

Continuous Tape Labeling

Heat Shrink Labeling

Self-Laminating Labeling



Terminations:

Aluminum Compression

Lugs

1-Hole and 2-Hole

Copper Compression Lugs

1-Hole and 2-Hole

Long Barrel and Short Barrel

Flex conductor option

Narrow tongue option

Aluminum Splices

Aluminum Mechanical Lugs

A variety of forms and sizes to fit a variety of needs

Lay-in Lugs

Terminals

Rings, forks, disconnects, and ferrules

Crimp Tools

For lugs, terminals, and splices

Ergonomic controlled cycle hand

tools for consistent crimp

Battery powered hydraulic crimpers

for consistent tool powered and controlled crimp.



VeriSafe AVT

Safety by design: Remove the hazard of testing voltage from the workers through design.

VeriSafe 1.0: 600 VAC 3-phase only

Ordinary Location NEMA 4X IP69


VeriSafe 2.0: 1000 VAC/1000 VDC 1-

phase or 3-phase

Network module available for real-time diagnostics

Class 1 Division 2 ABCD


NEMA 4X/IP69



Grounding:

GCE Series Grounding Connectors

Slotted design for easy assembly
 Antioxidant compound pre-applied
 Suitable for direct burial
 For ground rod, rebar, or conductors



CTAPR Series Grounding Connectors

Suitable for direct burial
 For ground rod, rebar, or conductors



Split Bolt Connectors

Service Post

Crimp Tools

Battery powered hydraulic crimpers for consistent tool powered and controlled crimp.

Cable Cleats

Contain wires from electro-mechanical forces at initial point of short circuit fault. Protect personnel and property. Ability to install after cable is laid. Multiple forms: Quad, trefoil, single conductor. Multiple materials: SS, Poly, Alum



Detectable Tape



Electrical Tape

Suitable for a wide range of indoor and outdoor applications and temperatures.



Lockout Tagout

Tags, padlocks and more



NELSON HEAT TRACE



SMR stocks key items in Houston

Heat Tracing Cable

Many options including wattage per foot, temperature range, jacket material, and more!

Can be used for freeze protection or process temperature control

LT Series


For freeze protection and low watt process systems

HLT Series

May be used in similar situations as the LT series but in situations where the pipes may be steam cleaned, particularly when certain chemicals are used in food and beverage processes that leave residue in the piping.

Mineral Insulated Cable

Custom made solution with a wide range of application



Heat Trace Accessories

End of Circuit Lights

Power Connection Kits

Tee Kits

Splice Kits

Thermostats & Temp Probes Controllers

Heat Trace Warning Signs & Glass Tape





* N. TX, OK, LA only *

Various Lighting

- Vapor Tight
- Selectable
- Troffer
- High Bay
- Low Bay
- Wraparounds
- Downlights
- Selectable CCT (some models)
- Bluetooth controls (some models)





13639 Aldine Westfield Rd

Houston TX 77039

☎ 346-409-2500

smrgulfcoast.com

Specified Manufacturers Representative

TERRITORY MANAGERS	PHONE	LOCATION	EMAIL ADDRESS
Eric Gerberman	713-724-2356	Greater Houston, Beaumont	egerberman@smrgulfcoast.com
Travis Graham	281-639-3252	Greater Houston	tgraham@smrgulfcoast.com
Sterling Hannsz	432-940-8004	Austin	shannsz@smrgulfcoast.com
Dillion Hargrove	580-678-7696	Texas Panhandle, Oklahoma	dhargrove@smrgulfcoast.com
Braden Hazelwood	432-302-1185	W. Texas	bhazelwood@smrgulfcoast.com
Thom Hughes	337-304-1458	Lake Charles, Sulphur, Beaumont	thughes@smrgulfcoast.com
Chris Janik	512-925-9183	Austin, Waco, College Station	cjanik@smrgulfcoast.com
Joel Knutowski	817-823-2076	Dallas, N. Texas	jknutowski@smrgulfcoast.com
Billy Lemons	903-330-6520	E. Texas, NW Louisiana	blemons@smrgulfcoast.com
Ryan McConnell	225-270-8808	Baton Rouge, New Orleans, MS	rmccconnell@smrgulfcoast.com
Ryan Reed	325-260-0554	W. Texas, SE New Mexico	rreed@smrgulfcoast.com
Bob Strahan	432-528-8193	W. Texas, SE New Mexico	bstrahan@smrgulfcoast.com
Steve Willoughby	210-863-6011	San Antonio, Corpus Christi, Victoria	swilloughby@smrgulfcoast.com

INSIDE SALES

Jim Balow	346-409-2502	Inside Sales - Team Leader	jbalow@smrgulfcoast.com
Andrew Cochrane	346-409-2506	Inside Sales	acochrane@smrgulfcoast.com
Nash Danford	346-409-2512	Inside Sales	ndanford@smrgulfcoast.com
Blake DelaMater	346-409-2509	Inside Sales	bdelamater@smrgulfcoast.com
Clark Draughn	346-409-2508	Inside Sales	cdraughn@smrgulfcoast.com
Taylor Travis	346-409-2505	Inside Sales	ttravis@smrgulfcoast.com
Chris Ware	346-409-2503	Inside Sales	cware@smrgulfcoast.com

SALES SUPPORT

Diane Chavarria	346-409-2514	Customer Service	dchavarria@smrgulfcoast.com
Idalia Palos	346-409-2500	Customer Service	ipalos@smrgulfcoast.com
Collette Steward	346-409-2507	Customer Service	csteward@smrgulfcoast.com

MANAGEMENT TEAM

Sarah Barker	713-882-1201	Sales Operations	sbarker@smrgulfcoast.com
Rob Breuhl	713-598-8149	Reg Mgr LA - MS	rbreuhl@smrgulfcoast.com
Philip Gomez	979-575-5116	Reg Mgr S. Texas	pgomez@smrgulfcoast.com
Jamey Lamm	817-372-8833	Mktg & Key Accts + OK	jlamm@smrgulfcoast.com
Carl Morgan	214-675-5639	Reg Mgr N. Texas	cmorgan@smrgulfcoast.com

PRINCIPALS

Matt Kinchen	832-326-4538	mkinchen@smrgulfcoast.com
David Russell	832-868-5625	drussell@smrgulfcoast.com